

The Industry Standard in IT Infrastructure Monitoring

Purpose

This document describes how to use Nagios® XI™ to actively monitor machines via the NCPA agent (Nagios Cross Platform Agent). NCPA is an advanced, cross-platform agent that can be installed on both Windows and Linux machines.

Target Audience

This document is intended for use by both Nagios administrators and users who wish to use the NCPA agent.


Installing NCPA

Before you can use the instructions outlined in this document, you must first install the NCPA agent on the target Windows or Linux machine you wish to monitor. Instructions for installing the NCPA agent can be found in a separate document titled **Installing NCPA**, which can be found at the following URL:

https://assets.nagios.com/downloads/nca/docs/Installing_NCPA.pdf

Running The NCPA Agent Wizard

To begin using the NCPA Agent wizard navigate via the top menu bar to **Configure > Run a configuring wizard**, and select the **NCPA Agent** wizard. In the following screenshot you can see how the search field allows you to quickly find a wizard.



Nagios XI – How To Monitor Devices Using The NCPA Agent and Wizard

Step 1

Type the **address** of the host you want to monitor.

You can specify the port number if you have changed it from the default of **5693**.

Type the **Token** you are using on the NCPA agent.

Click **Next**.

When you click Next the Token will be validated, if it is not correct you will not be able to proceed to the next step of the wizard.

Step 2

On this step you will configure all of the options for monitoring. In the screenshot to the right you can see the options available.

To start off with make sure a valid **Host Name** has been entered.

Select the metrics that you'd like to monitor. You can adjust the warning and critical thresholds for each metric to suit your needs.

Configuration Wizard: NCPA Agent - Step 1

NCPA Agent

Specify the connection details of the NCPA agent.

Address: 10.25.14.3
The IP address or FQDNS name of the NCPA Agent.

Port: 5693
Defaults to port 5693.

Token: T0k3n
Authentication token used to connect to the NCPA Agent.

Configuration Wizard: NCPA Agent - Step 2

NCPA Agent Information

Address: 10.25.14.3

Host Name: 10.25.14.3
The name you'd like to have associated with this NCPA Agent.

Port: 5693

Token: T0k3n

CPU Metrics

Specify the metrics you'd like to monitor on the NCPA Agent.

CPU Usage
Check the CPU usage of the system.
Warning: 20 % Critical: 40 %

Memory Metrics

Main Memory Usage
Monitor the main memory of the system. This metric is the percentage of main memory used.
Warning: 50 % Critical: 80 %

Swap Usage
Monitor the percentage of allocated swap used by the system.
Warning: 50 % Critical: 80 %

Disk Metrics

Specify the disks the the warning and critical percentages for disk capacity.

E:\ Warning: 70 % Critical: 90 %

C:\ Warning: 70 % Critical: 90 %

The screenshot to the right shows the metrics that could not be shown on the previous page.

You can adjust the warning and critical thresholds for each metric to suit your needs.

Click **Next** once you have selected all the required options.

Network Interface Metrics

Specify reasonable bandwidths for your network interfaces. Note that these measurements are in megabits.

<input type="checkbox"/>	Local Area Connection	<input type="checkbox"/>	10	Mb	<input type="checkbox"/>	100	Mb
--------------------------	-----------------------	--------------------------	----	----	--------------------------	-----	----

Services

Specify which services should be running or stopped. Depending on the selected state you will receive an OK when the process is in the selected state and a CRITICAL if the process is not in the state selected.

Service Name	Expected Status
<input type="checkbox"/> <input type="checkbox"/> Spooler	<input checked="" type="radio"/> Running <input type="radio"/> Stopped

[Add Another Service Check](#)

Running Processes

Specify which processes should be running, and how many should be.

Process Name	Display Name	Warning #	Critical #
<input type="checkbox"/>		60	100

[Add Another Process Check](#)

Complete the wizard by choosing the required options in Step 3 – Step 5. To finish up, click on **Finish** in the final step of the wizard. This will create the new host and services and begin monitoring.

Nagios XI – How To Monitor Devices Using The NCPA Agent and Wizard

Once the wizard applies the configuration, click the **View status details for xxxxx** link to see the new service that was created.

Host	Service	Status	Duration	Attempt	Last Check	Status Information
10.25.14.3	CPU Usage	Ok	35s	1/5	2016-12-02 17:02:05	OK: percent was 1%
	Disk Usage on C:/	Ok	35s	1/5	2016-12-02 17:02:05	OK: used_percent was 32%
	Disk Usage on E:/	Ok	35s	1/5	2016-12-02 17:02:05	OK: used_percent was 0%
	Inbound Bandwidth on Local Area Connection	Warning	13s	1/5	2016-12-02 17:02:05	WARNING: bytes_rcv was 14Mb/sec
	Main Memory Usage	Ok	1m 43s	1/5	2016-12-02 17:02:05	OK: percent was 43%
	Outbound Bandwidth on Local Area Connection	Ok	13s	1/5	2016-12-02 17:02:05	OK: bytes_sent was 0Mb/sec
	Service Status: Spooler	Ok	1m 1s	1/5	2016-12-02 17:02:05	OK: Service Spooler is running
	Swap Usage	Ok	35s	1/5	2016-12-02 17:02:05	OK: percent was 25%

Finishing Up

If you have problems using the NCPA monitoring wizard or have questions about NCPA, please contact our support team using the Nagios Support Forum at:

<https://support.nagios.com/forum>